

| 題名 | 著者名 | 雑誌名 | 巻 | 掲載年 |
|--|--|-------------------------------|--------------------|------|
| Ikenaga S, Nakano H, Umegaki N, Moritsugu R, Aizu T, Kuribayashi M and Hanada K | A Case of Bullous Dermatitis Artefacta Possibly Induced by a Deodorant Spray. | J Dermatol | 33(1):40-42 | 2005 |
| Shimizu K, Ogawa f, Hmasaki Y, Murota H, Katayama I | A case of bullous pemphigoid arising in juvenile hyaline fibromatosis with oral squamous cell carcinoma. | J Dermatol | 32(8):650-653 | 2005 |
| Inui S, Nagasawa T, Nishimura Y, Itami S, Katayama I | A case of chronic urticaria treated with balsam of Peru-eliminated diet. | J Environ Dermatol | in press | 2005 |
| Inui S, Katayama I. | Allergic contact dermatitis induced by rosemary leaf extract in a cleansing gel. | J Dermatol. | 32:667-669 | 2005 |
| Inui S, Amagai M, Tsutsui S, Fukuhara-Yoshida S, Itami S, Katayama I | Atypical pemphigus involving the esophagus with IgG antibodies to desmoglein 3 and IgA antibodies to | J Am Acad Dermatol | in press | 2005 |
| Mima H, Tomoshige R, Kanamori T, Tabata Y, Yamamoto S, Ito S, Tamai K, Kaneda Y | Biocompatible Polymer enhances the in vitro and in vivo transfection efficiency of HVJ envelope vector. | J Gene Med | 7(7):888-897 | 2005 |
| Uenotsuchi T, Nakayama J, Asahi M Katayama I et al. | Dermatological manifestations in Yusho | J Dermatol Sci | suppl 1:573-581 | 2005 |
| Inui S, Nishida Y, Itami S, Katayama I | Disseminated granuloma annulare responsive to narrowband UVB therapy | J Am Acad Dermatol | 53: 533-534 | 2005 |
| Katayama I | Editorial | J Environ Dermatol | 11:3-4 | 2005 |
| Yokoyama S, Nakano H, Yamazaki T, Tamai K, Hanada K, Takaishi G | Enhancement of ultraviolet-induced apoptosis by NF- κ B decoy oligonucleotides. | Br J Dermatol | 153 Suupl 2:47-51 | 2005 |
| Nomura M, Hamasaki y, Katayama I, Niikawa N, Yoshimura K | Eosinophil infiltration in three patients with generalized atrophic benign epidermolysis bullosa from a Japanese family:molecular genetic and | J Human Genetics | 50(9):483-489 | 2005 |
| Horiuchi Y, Bae SJ, Katayama I | FK506 (Tacrolimus) Inhibition of Intracellular Production and Enhancement of Interleukin 1alpha through Glucocorticoid Application to Chemically Treated Human | Skin Pharmacol Physiol | 18:241-246 | 2005 |
| Murota H, Muroi E, Hamasaki Y, Shimizu H, Masuzawa M, Katayama I | Heat-inducible turbidity precipitates in plasma samples of livedo reticularis with summer ulceration: Hypothesis for abnormal cagulation in summer. | Thrombosis and Haemostasis | 94:222-223 | 2005 |
| Yamaguchi Y, Itami S, Yoshikawa K: Skin Grafting: surgical techniques. Wound Healing. | In: Wound Healing. | Wound Healing. | 535-544 | 2005 |
| Sumikawa Y, Asada H, Hoshino K, Azukizawa H, Katayama I, Akira S, Itami S. | Induction of β -defensin 3 in keratinocytes stimulated by bacterial lipopeptides through toll-like receptor2. | Microbes and Infection | 8:1513-1521 | 2005 |
| Tanemura A, Magasawa T, Inui S, Itami S | LRIG-1 provides a novel prognostic predictor in squamous cell carcinoma of the skin: an immunohistochemical analysis for 38 cases | Dermatol Surg | 31:423-30 | 2005 |
| Yamaguchi Y, Itami S, Watabe H, Yasumoto K, Abdel-Malek ZA, Kubo T, Rouzaud F, Tanemura A, Yoshikawa K, Hearing VJ. | Mesenchymal-epithelial interactions in the skin: high ewpression of dickkopfl by palmoplantar fibroblasts results in decreased melanocyte function. | J Cell Biol | 40(1)1-9 | 2005 |
| Yamaguchi Y, Hearing VJ, Itami S, Yoshikawa K, Katayama I. | Mesenchymal-epithelial interactions in the skin: aiming for site-specific tissue regeneration. | J Derm Sci | 40(1):1-9. | 2005 |
| Yang L, Shirakata Y, Tamai K, Dai X, Hanakawa Y, Tokumaru S, Yahata Y, Tohyama M, Shiraishi K, Nagai H, Wang X, Murakami S, Sayama K, Kaneda Y, Hashimoto K. | Microbubble-enhanced ultrasound for gene transfer into living skin equivalents. | J Dermatol Sci | 40(2):105-114 | 2005 |
| Hata D, Miyazaki M, Seto S, Kadota E, Muso E, Takasu K, Nakano A, Tamai K, Uitto J, Nagata M, Moriyama K, Miyazaki K. | Nephrotic syndrome and aberrant expression of laminin isoforms in glomerular basement membranes for an infant with Hertz junctional | Pediatrics | 116(4):e601-e607 | 2005 |
| Horiuchi Y, Bae SJ, Katayama I | Nerve growth factor(NGF)and epidermal nerve fibers in atopic dermatitis model NC/Nga mice | J Derm Sci | 39:56-58 | 2005 |
| Yamamoto T, Sawada Y, Katayama I, Nishioka K. | Nodular scleroderma: increased expression of connective tissue growth | Dermatology | 211(3):218-23. | 2005 |
| Nakagami H, Maeda K, Morishita R, Iguchi S, Nishikawa T, Takami Y, Kikuchi Y, Saito Y, Tamai K, Ogihara T, Kaneda Y. | Novel Autologous cell therapy in ischemic limb disease through growth factor secretion by cultured adipose tissue-derived stromal cells. | Arterioscler Thromb Vasc Biol | 25(12):2542-2547 | 2005 |
| Azukizawa H, Sano S, Kosaka H, Sumikawa Y, Itami S. | Prevention of toxic epidermal necrolysis by regulatory T cells. | Eur J Immunol | Jun;35(6):1722-30. | 2005 |

| | | | | |
|--|--|--|---------------------|------|
| Ito M, Yamamoto S, Nimura K, Hiraoka K, Tamai K, Kaneda Y. | Rad51 siRNA delivered by HVJ envelope vector enhances the anti-cancer effect of cisplatin. | J Gene Med | 7(8):1044-1052 | 2005 |
| Inui S, Torii A, Itami S, Yoshikawa K, Katayama I | Retrospective analysis of patch test results of 53 patients with suspected cosmetic dermatitis in past four years. | J Environ Dermatol | 12: 46-49 | 2005 |
| Itami S, Inui S | Role of androgen in mesenchymal epithelial interactions in human hair follicle. | J Investig Dermatol Symp Proc | 10: 209-211 | 2005 |
| Sano S, Chan KS, Kira M, Kataoka K, Takagi S, Tarutani M, Itami S, Kiguchi K, Yokoi M, Sugawara K, Mori T, Hanaoka F, Takeda J, DiGiovanni J. | Signal transducer and activator of transcription 3 is a key regulator of keratinocyte survival and proliferation following UV irradiation. | Cancer Res. | Jul 1:65(13):5720-9 | 2005 |
| Valencia JC, Watabe H, Chi A, Rouzaud F, Chen KG, Vieira WD, Takahashi K, Yamaguchi Y, Berens W, Nagashima K, Shabanowitz J, Hunt DF, Appella E, Hearign VJ. | Sorting of Pmel17 to melanosomes through the plasma membrane by AP1 and AP2: evidence for the polarized nature of melanocytes. | J Cell Sci | 119(Pt6):1080-1091 | 2005 |
| Sano S, Chan KS, Carbajal S, Clifford S, Peavy M, Kiguchi K, Itami S, Nickoloff BJ, DiGiovanni J | Stat3 links activated keratinocytes and immunocytes required for development of psoriasis. | Nature Med | 11: 43 49 | 2005 |
| Itami S, Inui S. | The role of androgen in mesenchymal epithelial interactions in human hair | J Invest Dermatol Symp Proc | 10: 209+211 | 2005 |
| 小豆澤宏明、壽順久、室田浩之、中村敏明、伊藤孝一、大畑千佳、板見 智、片山一朗、ほ乾 重樹 | Brau syndromeの母子例 | 日皮会誌 | 115: 2272-275 | 2005 |
| 山口裕二、板見 智 | frictionとdermatitis | 皮膚病診療 | 27: 851 | 2005 |
| 馬淵恵理子、乾 重樹、 澄川靖之、片山一朗 | HGFと皮膚潰瘍 | 細胞増殖因子と再生医療 | 印刷中 | 2005 |
| 板見 智、乾 重樹 | HIV感染者にみられた第2期梅毒の1例 | 皮膚の科学 | 4:471-474 | 2005 |
| 玉井克人、金田安史、森下竜一、片山一朗、花田勝美ほか | IGF-I 毛包組織 | 「細胞増殖因子と再生医療」メディカルレビュー社 | 印刷中 | 2005 |
| 乾 重樹 | NFκ B デコイDNAによるアトピー性皮膚炎の治療 | 日本臨床 | Suppl 12:659-63. | 2005 |
| 乾 重樹 | OK-432皮下注射・局所注射 | カラーアトラス 皮膚治療考 いぼ/コンジローマ/みずいぼ(江川清文編). 医師薬出版 | p130-132 | 2005 |
| 多葉田誉、中尾俊史、乾 重樹、板見 智 | Ruta graveolens L.の育毛効果「FRAGRANCE JOURNAL.特集/最近の育毛剤の開発」 | フレグランスジャーナル社 | 58-62 | 2005 |
| 矢野健二、久保盾貴、辻隆治、洪憲植、細川 互 | Skin-sparing Mastectomy後の一期的乳房再建 | 日本形成外科学会誌 | 25(9): 575-582 | 2005 |
| 鈴木敬子、樽谷勝仁、横見明典、乾 重樹、小澤健太郎、吉良正浩、板見 智、吉川邦彦 | γ グロブリン大量療法により汗疱様皮疹を生じた1例 | 皮膚の科学 | 4: 31-35 | 2005 |
| 片山一朗 | アトピー性皮膚炎 | 日本医師会雑誌(特) | 134: S146-S151 | 2005 |
| 片山一朗 | アトピー性皮膚炎 | 日本医師会雑誌[増]134、特別号(2) | p32-34 | 2005 |
| 片山一朗 | アトピー性皮膚炎 | 分かりやすい免疫疾患 | 146-151 | 2005 |
| 乾 重樹 | アトピー性皮膚炎におけるグルコルチコイド感受性と活性の調節 -生体と薬剤の両面から | 皮膚の科学 | 増-4: 59-62 | 2005 |
| 竹中基、片山一朗、 | アトピー性皮膚炎におけるヒスタミン誘発反応 | 皮膚の科学 | 4: 122-127 | 2005 |
| 片山一朗、竹中基、Bae Sang Jae、江石久美子 | アトピー性皮膚炎における汗の意義: 定量的発汗機能検査(QSART)による検討 | 皮膚の科学 | 4:増5 133-138 | 2005 |
| 片山一朗 | アトピー性皮膚炎の悪化因子-発汗機能を中心に | 日本小児皮膚科学会雑誌 | 24: 43-46 | 2005 |
| 片山一朗 | アトピー性皮膚炎の治療 | 作業療法ジャーナル | 39: 1192 | 2005 |
| 片山一朗 | アトピー性皮膚炎の痒み | 日本皮膚科学会雑誌 | 115: 2366-2372 | 2005 |
| 室田浩之、片山一朗 | ウイルス感染 | スタンダード微生物学 | 142-147 | 2005 |
| 片山一朗 | かゆみを止める薬: ステロイド薬と免疫抑制薬 | 毎日ライフ | 41-48 | 2005 |
| 片山一朗 | シェーグレン症候群 | 臨床診断に苦渋する100の外来皮膚疾患 | 122-123 | 2005 |

| | | | | |
|---|--|--|----------------|------|
| 乾 重樹 | しみ・しわ・いぼ | 予防とつきあい方 シリーズ「老年病・ 認知症～長寿の 秘訣～」メディカ ルレビュー社 | 161 | 2005 |
| 片山一朗 | ステロイドにタキフィラキシーはあるか | Seminaria Dermatologie | 58-61 | 2005 |
| 平山美奈子、竹中基、片山一朗 | センノシドによる固定薬疹 | 臨床皮膚科 | 59:245-247 | 2005 |
| 西田陽子、澄川靖之、室田浩之、大畑千佳、 片山一朗、船井龍彦 | タクロリムス軟膏の著効した肥満細胞症 の一例 | 日皮会誌 | 115:2232-2235 | 2005 |
| 澄川靖之、片山一朗 | ダニ感染 | スタンダード微生物学 | 153-155 | 2005 |
| 室田浩之、中村敏明、片山一朗 | ヒト樹状細胞のTARC産生におけるヒスタ ミンの影響と抗ヒスタミン薬 | アレルギー・免疫 | 12:19-26 | 2005 |
| 片山一朗 | ラミシールフラッシュ | | | 2005 |
| 溝口協子、竹中基、片山一朗 | ランタナによる接触皮膚炎 | 皮膚病診療 | 27:1019-1022 | 2005 |
| 辻 真紀、横見明典、萩堂優子、東山真理、中 村敏明 | レボフロキサシン(クラビット)による固定 薬疹 | 皮膚の科学 | 4:345 | 2005 |
| 乾 重樹、板見 智、片山一朗 | ロキシシロマイシンとナジフロキサシンの 相乗的抗アンドロゲン活性の解析 -抗ざ 瘡薬のアンドロゲン抑制剤としての可能 | 皮膚の科学 | 増-4:印刷中 | 2005 |
| 板見 智 | 解明進む男性型脱毛症 | 診療アップデート | 186-190 | 2005 |
| 片山一朗 | 強皮症治療の現況と将来 | 日皮会誌 | 115:2124-2127 | 2005 |
| 武曾有美、高木圭一、室田浩之、片山一朗 | 局所冷却が有効であったLivedo Reticularis with Summer Ulceration | 皮膚の科学 | 4:339-344 | 2005 |
| 金田 真理 | 結節性硬化症 from tuber to mTOR | 日本皮膚科学会 | 115(6):848-856 | 2005 |
| 金田真理、片山一朗 | 血管線維腫 | 皮膚病診療 | 28(4):443-446 | 2005 |
| 片山一朗 | 紅斑になる疾患 | 日本医師会雑誌 〔増〕134、特別号 (2) | p51 | 2005 |
| 片山一朗 | 紅皮症 | 日本医師会雑誌 〔増〕134、特別号 (2) | p60 | 2005 |
| 綾部原子、室田浩之、種村篤、板見 智、片山 一朗 | 骨髄炎により誘発された皮膚アレルギー 性血管炎 | 皮膚の科学 | 4:443-446 | 2005 |
| 片山一朗 | 最近の話題 | Clin Derma | 7:1-2 | 2005 |
| 種村篤、片山一朗 | 細菌感染 | スタンダード微生物学 | 136-141 | 2005 |
| 乾 重樹 | 脂漏性皮膚炎 | 医師会雑誌 | 134: S36 | 2005 |
| 佐野栄紀 | 【実践 皮膚病変のみかた】皮膚疾患カ ラートラス 紅皮症 乾癬性紅皮症 | 日本医師会雑誌 | 134特別(2):62 | 2005 |
| 乾 重樹 | 主婦湿疹 | 医師会雑誌 | 134: S35 | 2005 |
| 瀧川雅浩、片山一朗ほか | 小児のアトピー性皮膚炎治療に対するア ンケート調査 | 臨床皮膚科 | 59:323-329 | 2005 |
| 小豆澤 宏明、片山一朗 | 症候としての蕁麻疹-膠原病と症候群- | Monthly Book Derma. | No.105 | 2005 |
| 金田真理 | 色素失調症 | 幼少時にみられる 皮膚疾患改訂3版 | 92-93 | 2005 |
| 中島武之、片山一朗 | 真菌感染 | スタンダード微生物学 | 148-152 | 2005 |
| 竹中基、Bae SJ、佐藤伸一、片山一朗 | 成人型アトピー性皮膚炎の難治性顔面 紅斑に対するトシル酸スプラストとタクロ リムス軟膏の併用効果に関する検討 | 西日本皮膚 | 67:247251 | 2005 |
| 片山一朗 | 搔破による皮膚アレルギー炎症の増強 | アレルギー科 | 19:491-497 | 2005 |
| 種村 篤、乾 重樹、長澤智彦、板見 智、片 山一朗、飯沼義博、細川 互、谷村 朗、三浦 温子、沖田考平、宮川潤一郎 | 多発性皮膚骨腫を伴った偽性副甲状腺 機能低下症の1例 | 皮膚の科学 | 4:548-553 | 2005 |
| 乾 重樹、片山一朗 | 体表部位感染症 | スタンダード微生物学(土肥義胤、 山本容正、宇賀 昭二編)、文光堂 | p129-131 | 2005 |
| 板見 智 | 脱毛症 | 鑑別と治療マニ ュアル-幼小児に よくみられる皮膚 疾患 | 印刷中 | 2005 |
| 板見 智 | 脱毛症の発症病理 | 前実績研修講習 会テキスト | 1-13 | 2005 |

| | | | | |
|---|---|--------------------------------------|------------------|-----------|
| 板見 智、乾 重樹 | 男性はなぜ禿げる？-男性型脱毛の病態 | 「毛の悩みに応える皮膚科診療 毛髪最前線」(板見智、宮地良樹編) 南山堂 | 印刷中 | 2005 |
| 板見 智 | 男性ホルモンとニキビ | 皮膚科診療プラクティス18 | 19-24 | 2005 |
| 板見 智 | 男性型脱毛の成因と対策 | アンチ・エイジングシリーズ1.白髪、脱毛・育毛の実 | 65-87 | 2005 |
| 板見 智 | 男性型脱毛の内服療法 | 最新皮膚科学大系(年刊版) | 印刷中 | 2005 |
| 乾 重樹、板見 智 | 男性型脱毛の病態と治療 | 先端医療シリーズ38 皮膚疾患の最新治療 | 印刷中 | 2005 |
| 中村敏明、片山一朗 | 伝染性紅斑 | 日本医師会雑誌 | 134:特別号(2)S310 | 2005 |
| 板見 智 | 日本人成人男性における発毛・育毛剤の使用状況調査 | 日本医事新報 | 4251:28-32 | 2005 |
| 片山一朗 | 皮膚に現れるアレルギー | 東海愛知新聞 | 11月22日 | 2005 |
| 乾 重樹、板見 智 | 皮膚の老化 | 現代老年精神医療(武田雅俊編), 永井書店 | p79-81 | 2005 |
| 片山一朗、中山樹一郎、古江増隆 | 皮膚科と難病特定疾患 | Seminaria Dermatol | 176:4-14 | 2005 |
| 片山一朗 | 皮膚科白書 | 皮膚科の臨床 | 147-148 | 2005 |
| 片山一朗、室田浩之、Bae Sang Jae | 皮膚科領域におけるサブスタンスPの産生機構と役割 | アレルギーと神経ペプチド | 1:4-11 | 2005 |
| 中村敏明、片山一朗 | 皮膚感染症 | スタンダード微生物学 | 131-136 | 2005 |
| 35. 樽谷勝仁、板見 智 | 皮膚疾患 | 現代老年精神医 | 489-492 | 2005 |
| 乾 重樹 | 皮膚疾患患者・家族のためのより良いコミュニケーションのために 円形脱毛症 | Clinical Derma, メディカルレビュー | Vol. 7, No. 4. | 2005 |
| 片山一朗 | 聞き慣れない病名-2005 | 皮膚病診療 | 27S:129 | 2005 |
| 片山一朗 | 編集長就任のご挨拶 | J Environ Derm. | 11:3 ~ 4 | 2005 |
| 板見 智 | 毛成長の制御機構 | 難治性皮膚疾患の病態と治療 | 印刷中 | 2005 |
| 乾 重樹、板見 智 | 毛包とIGF-1 | 細胞増殖因子と再生医療 | 印刷中 | 2005 |
| 上ノ土武、片山一朗ほか | 油症の皮膚症状 : 皮膚症状と血中ダイオキシン濃度の関連性について | 福岡医学雑誌 | 96:54-58 | 2005 |
| 金田真理 | 老人性角化症 | 予防とつきあい方シリーズ 老年病認知症 一長寿の秘訣一 | 162 | 2005 |
| 片山一朗 | 痒みのメカニズム-update | Derma | No104 30-35 | 2005 |
| 片山一朗 | 膠原病の皮膚症状 | 日本医師会雑誌 [増]134、特別号(2) | p73 | 2005 |
| 片山一朗 | 蕁麻疹と痒疹 | 日本医師会雑誌 [増]134、特別号(2) | p43 | 2005 |
| 樽谷勝仁 | ビタミンDと皮膚疾患 | 腎と骨代謝 | 18巻3号 205-211 | 2005.07 |
| 片山一朗 | 紫斑 | 今日の治療指針 | 823 | 2005.1.1 |
| 片山一朗 | 皮膚筋炎 | 皮膚疾患最新の治療 | 67 | 2005.1.15 |
| 片山一朗、Bae Sang Jae、室田浩之 | 線維芽細胞 | 皮膚免疫ハンドブック | 79-87 | 2005.1.5 |
| Costing EG, Valencia JC, Wakamatsu K, Ito S, Solano F, Milac AL, Vieira WD, Yamaguchi Y, Rouzaud F, Petrescu Aj, Lamoreux ML, Hearing VJ. | Mutations in dopachrome tautomerase(Dct)affect eumelanin/pheomelanin synthesis but do not affect intracellular of the mutant protein. | Biochem J | 391(Pt2):249-259 | 2005.10 |
| 長澤智彦 | 【実践 皮膚病変のみかた】カラーアトラス 紅皮症 腫瘍による紅皮症 | 日本医師会雑誌 | 134巻(特)2:63 | 2005.10 |
| 長澤智彦 | 【実践 皮膚病変のみかた】皮膚疾患カラーアトラス 皮膚の感染症 虫刺症 | 日本医師会雑誌 | 134(特)2:324 | 2005.10 |

| | | | | |
|--|--|-----------------------------|-------------------------|-----------|
| 樽谷勝仁 | 皮膚疾患カラーアトラス 皮膚の感染症 風疹 | 日本医師会雑誌 | 134巻特別2 Page309 | 2005.10 |
| 寺尾美香、白井洋彦、梅田二郎、調 裕次 | 薬剤誘発性皮膚筋炎/多発筋炎 | 皮膚の科学 | 4(5):433-438 | 2005.10 |
| Yamaguchi Y | Chapter6: Melanocyte distrebution and function in human skin:effects of UV radiation. | Humana press | 111-144 | 2005.12 |
| 長澤智彦,片山一朗 | 皮膚病変から学ぶアレルギーの鑑別 AD以外に考えられる診断は？ その確定 診断および除外診断に最も重要な検査 | 皮膚アレルギーフ ロンティア | 3(4):263-265 | 2005.12 |
| 片山一朗 | アトピー性皮膚炎 | てこづる外来皮膚 疾患 | 46-47 | 2005.2.25 |
| 片山一朗 | 薬疹 | ガイドライン 外来 診療 | 279-287 | 2005.3.31 |
| Yamaguchi Y,Kubo T,Murakami T,Takahashi M,akamata Y,Kobayashi E,Yoshida S,Hosokawa K,Yoshikawa K,Itami S | Bone marrow cells differentiate into wound myofibroblasts and accelerate the healing of wounds with exposed bones when combined with an occlusive | Br J Dermatol | 152(4):616-622 | 2005.4 |
| Hoashi T,Watabe H,Muller J,Ymaguchi Y,Vieira WD,Hearing VJ. | MART-1 is required for the function of the melanosomal matorix protein Pmel17/gp100 and the maturation of melanosomes. | J Biol Chem | 280(14):14006- 14016 | 2005.4 |
| Yamaguchi Y,Sumikawa Y,Yoshida S,Kubo T,Yoshikawa K,Itami S | Prevention of amputation caused by rheumatic diseases following a novel therapy of exposing bone marrow,occlusive dressing and | J Dermatol | 152(4) :664-672 | 2005.4 |
| Yamaguchi Y,Itami S,Yoshikawa K. | Chapter41:skin grafting:surgical technique.In:Falabella A,Kirsner RS, eds. Wound healing:science and practice. 1st ed. New York,NY | Marcel Dekker | 535-544 | 2005.6 |
| Tadokoro T, Yamaguchi Y,Batser J,Coelho SG,Zmudzka BZ,Miller SA,Wolber R,Beer JZ,Hearing VH. | Mechanisms of skin tanning in different racial/ethnic groups in response to ultraviolet radiation. | J Invest Dermatol | 124(6):1326-1332 | 2005.6 |
| Yamaguchi Y,Hearing VJ. | Mesenchymal-epithelial interactions in the skin : high expression of dickkopfl by palmoplantar fibroblasts in decreased melanocyte function. | CCR Frontiers in Science | 4:11-12 | 2005.7 |
| 寺尾美香、山本隆之、梅田二郎、調 裕次 | 薬剤誘発性帯状疱疹(スタチンは誘因と なりうるか) | 皮膚の科学 | 4(4):335-338 | 2005.8 |
| 伊藤孝一、樽谷勝仁、片山一朗、吉川邦彦 | 扁平苔癬様外観を呈したBlaschko線に 沿った汗孔角化症の1例 | 角化症研究会記 録集20巻 | 138-140 | 2006.03 |
| Murota H, Muroi E, Yamaoka T, Hamasaki Y, Katayama I | Successful Treatment With Regimen of Intravenous Gammaglobulin and Cyclophosphamide for Dermatomyositis With Interstitial Pneumonia, Oppotunistic Infection And Steroid Psychosis:A Case Report | Allegology International | 55(2):199-202 | 2006.6 |